

RW 2100 TRANSPLANTER


Integrated Horticultural Automation

FEATURING SYSTEMS FOR:

- Transplanting
- Soil mixing and distribution
- Plug tray fillers
- Integrated seeding lines
- Dispensers and fillers for flats and pots
- Plug grading and consolidation
- Planting lines for cuttings
- Watering booms
- Stationary / movable conveyors
- Custom automation
- Labeling equipment
- Rolling bench growing systems
- Rolling bench automation
- Vision grading and shipping systems
- 24 hr. technical assistance
- Installation & service

300 Creekside Drive
Oberlin, Ohio 44074
Tel: 440-774-2981
1-800-354-3750
Fax: 440-775-2104
www.agrinomix.com

WIRELESS TECHNOLOGY



Specifications:

Finish Containers:

Flats, shuttle trays, and individual pots 6" in diameter and above

Plug Trays:

From 512 to 50 cell trays

Transplant speed:

Up to 40,000 plugs/hour **

Electrical Requirements:

230 VAC 3 Phase, 20 Amps

Air Requirements: 6 CFM

Features:

- * Independent finger movement
- * Wireless communication
- * Up to 40 fingers
- * Max. usable finger spread 81"
- * Planting fingers pull from 2 plug trays at a time or a continuous row of CE trays (optional)
- * Pinching spade gripper design does not require push-up pins
- * User-friendly graphical touch-screen control
- * Electronic planting depth and plug tray height adjustment

** Example: rate depends on plug tray and finish container specs.

The RW Transplanter's state of the art electronics and wireless technology are combined to dramatically improve flexibility, provide intuitive user interface touch screen functionality, and increase planting throughput. This innovative design allows plug tray and finish container changeovers to be accomplished in only a few minutes.